JUN 0 7 1999 Form PTO 1449 **Dept of Commerce** Atty. Docket No. Serial No. Rev 7-80 tent & Trademark Off. 93-C-032C3 09/007,668 Applicant Alex Kalnitsky, et al. LIST OF PRIOR ART CITED BY APPLICANT Filing Date Group (Use several sheets if necessary) January 15, 1998 2811

# **U.S. PATENT DOCUMENTS**

|          | AMINER<br>NITIAL | DOCUMENT<br>NUMBER | DATE  | NAME             | CLASS/ FI<br>SUBCLASS     | LING DATE |
|----------|------------------|--------------------|-------|------------------|---------------------------|-----------|
| 'n       | AA               | 4,253,907          | 3/81  | Parry et al.     | 156/643                   |           |
|          | АВ               | 4,354,896          | 10/82 | Hunter           | 156/643                   |           |
|          | AC               | 4,384,938          | 5/83  | Desilets et al.  | 204/298                   |           |
|          | AD               | 4,654,112          | 3/87  | Douglas et al.   | 156/643                   |           |
|          | AE               | 4,657,628          | 4/87  | Holloway et al.  | 156/643                   |           |
|          | AF               | 4,660,278          | 4/87  | Teng             | 29/576                    |           |
|          | AG               | 4,676,867          | 6/87  | Elkins et al.    | 257/752                   |           |
|          | АН               | 4,707,218          | 11/87 | Giammarco et al. | 156/64RECEIV              | 'ED       |
|          | AI               | 4,721,548          | 1/88  | Morimoto         | 156/657 JUN 1 1           | 999       |
| <u> </u> | AJ               | 4,755,476          | 7/88  | Bohm et al.      | 437/31<br>TECHNOLOGY CENT | EB 2800   |
| ኂ        | AK               | 4,792,534          | 12/88 | Tsuji et al.     | 437/229                   | L11 2000  |

#### **FOREIGN COUNTRIES**

|    |    | DOC. NO. | DATE | COUNTRY       | CLASS/<br>SUBCLASS | TRANSLATION |
|----|----|----------|------|---------------|--------------------|-------------|
| 4  | AL | 410244   | 1/91 | Germany       |                    |             |
| ۷_ | AM | 8901236  | 5/92 | Great Britain |                    |             |

# OTHER PRIOR ART (INCLUDING AUTHOR, TITLE, DATE, PERTINENT PAGE, ETC.)

| 9  | AN | "Advantages of Using Spin on Glass Layer in Interconnection Dielectric Planarization", Microelectronic Engineering, Vol. 5 (1986).  |
|----|----|---|
| ۷  | A0 | "Doped Silicon Oxide Deposition by Atmospheric Pressure and Low Temperature Chemical Vapor Deposition Using Tetraethoxysilane and Ozone", Fujino et al., J. Electrochem. Society, Vol. 138, No. 10, p. 3019 |
| 4_ | AP | "Polysilicon Planarization Using Spin-On Glass", S. Ramaswami and A. Nagy, J. Electrochem. Soc., Vol. 139, No. 2, p. 591 (1992).  |
|    |    |   |

EXAMINER 5. Maion DATE CONSIDERED q/28/99

<sup>\*</sup>EXAMINER: Initial if reference considered, whether or not citation is in conformance with PEP 609; Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.

ammerce U.S. Dept of Patent & Trade of the Patent

Atty. Docket No. 93-C-032C3

Serial No. 09/007,668

Applicant

Alex Kalnitsky, et al.

LIST OF PRIOR ART CITED BY APPLICANT (Use several sheets if necessary)

Form PTO 1449

Rev 7-80

Filing Date January 15, 1998 Group 2811

#### **U.S. PATENT DOCUMENTS**

|          | AMINER<br>NITIAL | DOCUMENT<br>NUMBER | DATE  | NAME             | CLASS/ FILING DAT             |
|----------|------------------|--------------------|-------|------------------|-------------------------------|
| 371      | ВА               | 4,801,350          | 1/89  | Mattox et al.    | 156/643                       |
|          | BB               | 4,801,560          | 1/89  | Wood et al.      | 437/195                       |
| $\perp$  | ВС               | 4,824,767          | 4/89  | Chambers et al.  | 430/313                       |
|          | BD               | 4,894,351          | 1/90  | Batty            | 437/190                       |
| $\perp$  | BE               | 4,912,061          | 3/90  | Nasr et al.      | 437/44                        |
|          | BF               | 4,962,414          | 10/90 | Liou et al.      | 357/71                        |
|          | BG               | 4,986,878          | 1/91  | Malazgirt et al. | 156/643 RECEIVED              |
| <u>L</u> | ВН               | 5,003,062          | 3/91  | Yen              | 437231 JUN 1 1 1000           |
|          | ВІ               | 5,063,176          | 11/91 | Lee et al.       | 437195 TECHNOLOGY CENTER 2800 |
| ]        | BJ               | 5,068,711          | 11/91 | Mise             | 257/752                       |
| Ĺ        | ВК               | 5,110,763          | 5/92  | Matsumoto        | 437/195                       |

### **FOREIGN COUNTRIES**

|   |    | DOC. NO. | DATE | COUNTRY | CLASS/<br>SUBCLASS | TRANSLATION |
|---|----|----------|------|---------|--------------------|-------------|
| 7 | BL | 327 412  | 8/89 | Europe  |                    |             |
| 4 | ВМ | 60-58635 | 4/85 | Japan   |                    |             |

# OTHER PRIOR ART (INCLUDING AUTHOR, TITLE, DATE, PERTINENT PAGE, ETC.)

| 4 | BN | "Three 'Low Dt' Options for Planarizing the Premetal Dielectric on an Advanced Double Poly BiCMOS Process", by W. Dauksher, M. Miller, and C. Tracey, J. Electrochem. Soc., Vol. 139, No. 2, p. 532 (1992)/ |
|---|----|---|
| 4 | во | "The Effect of Plasma Cure Temperature on Spin-On Glass", by H. Namatsu and K. Minegishi, J. Electrochem. Soc., Vol. 140, No. 4, p. 140 (1991).   |
| 4 | ВР | "Hot-Carrier Aging of the MOS Transistor in the Presence of Spin-On Glass as the Interlevel Dielectric", by N. Lifschitz and G. Smolinsky, IEEE Electron Device Letters, Vol. 12, No. 3, p. 140 (1991).     |
|   |    | ,   |

**EXAMINER** Me: en DATE CONSIDERED

4/28/99

\*EXAMINER: Initial if reference considered, whether or not citation is in conformance with PEP 609; Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.



| Form PTO 1449 Dept of Commerce   | Atty. Docket No.                    | Serial No. |
|--|-------------------------------------|------------|
| Rev 7-80 / Patent & Trademark Off.                                     | 93-C-032C3                          | 09/007,668 |
| JUN 0 7 1999 0   | Applicant<br>Alex Kalnitsky, et al. |            |
| LIST OF PRIOR ARY CITED BY APPLICANT (Use several sheets if necessary) | Filing Date                         | Group      |
| (Use several sheets it necessary)                                      | January 15, 1998                    | 2811       |

# **U.S. PATENT DOCUMENTS**

|    | AMINER<br>NITIAL | DOCUMENT<br>NUMBER | DATE  | NAME             | CLASS/ FILING DATE<br>SUBCLASS |
|----|------------------|--------------------|-------|------------------|--------------------------------|
| m  | CA               | 5,117,273          | 5/92  | Stark et al.     | 357/54                         |
| 1  | СВ               | 5,158,910          | 10/92 | Cooper et al.    | 437/195                        |
|    | СС               | 5,166,088          | 11/92 | Ueda et al.      | 437/47                         |
|    | CD               | 5,244,841          | 9/93  | Marks et al.     | 437/228                        |
|    | CE               | 5,250,472          | 10/93 | Chen et al.      | 437/231                        |
| ot | CF               | 5,266,525          | 11/93 | Morozumi         | 437/195                        |
|    | CG               | 5,310,720          | 5/94  | Shin et al.      | 437/231RECEIVED                |
|    | СН               | 5,320,983          | 6/94  | Ouellet          | 437/231                        |
|    | CI               | 5,435,888          | 7/95  | Kalnitsky et al. | 216/18                         |
| 'n | CJ               | 5,534,731          | 07/96 | Cheung           | 257/752 CHNOLOGY CENTER 2800   |


#### **FOREIGN COUNTRIES**

|          |    | DOC. NO.  | DATE   | COUNTRY | CLASS/<br>SUBCLASS | TRANSLATION |
|----------|----|-----------|--------|---------|--------------------|-------------|
| 4        | СК | 61-26240  | 2/86   | Japan   |                    |             |
| <u>~</u> | CL | 62-106645 | · Y/87 | Japan   |                    |             |
| <u>د</u> | СМ | 63-293946 | 11/88  | Japan   |                    |             |

# OTHER PRIOR ART (INCLUDING AUTHOR, TITLE, DATE, PERTINENT PAGE, ETC.)

| 6  | Ć CN     | "Etching - Applications and Trends of Dry Etching", by L.M. Ephrath and G.S. Mathad, Handbook of Advanced Technology and Computer Systems at 27 ff (1988). |
|----|----------|--|
| 5  | СО       | "Reactive Ion Etching", by B. Gorowitz and R. Saia, 8 VLSI Electronics, 297ff (1984).  |
| کے | СР       | Patent Abstracts of Japan, Vol. 15, No. 348 (E-1107) 4 Sept. 1991 & JP-A-31 33 131 (Mitsubishi Electric Corp.) 6 June 1991.                                |
| _  | EXAMINER | 5. Me; ~ DATE CONSIDERED 4/28/89   |

<sup>\*</sup>EXAMINER: Initial if reference considered, whether or not citation is in conformance with PEP 609; Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.



JUN 0 7 1999

# **FOREIGN COUNTRIES**

|          |                    |           | <u> </u> |               |                                |
|----------|--------------------|-----------|----------|---------------|--------------------------------|
| E        | XAMINER<br>INITIAL | DOC. NO.  | DATE     | COUNTRY       | CLASS/<br>SUBCLASS TRANSLATION |
| <u>~</u> | DA                 | 0,265,638 | 5/88     | Europe        |                                |
|          | DB                 | 0,491,408 | 4/92     | Europe        |                                |
|          | DC                 | 61232646  | 10/86e   | Japan         |                                |
|          | DD                 | 0,185,787 | 1192     | Europe        |                                |
| I        | DE                 | 2167901A  | 4//86    | Great Britain | RECEIVED                       |
| I        | DF                 | 4092453   | 3/92     | Japan         |                                |
|          | DG                 | 2083948A  | 3/82     | Europe        | JUN 1 1 1000                   |
| <u>ر</u> | DH                 | 0111706   | 6/84     | Europe        | TECHNOLOGY CENTER 2800         |

# OTHER PRIOR ART (INCLUDING AUTHOR, TITLE, DATE, PERTINENT PAGE, ETC.)

| 4  | DI      | IBM Technical Disclosure Bulletin, Vol. 30, No. 8, p. 252, January 1988.  |  |  |  |  |
|----|---------|---|--|--|--|--|
|    | DJ      | IBM Technical Disclosure Bulletin, Vol. 29, No. 3, p. 1328, August 1986   |  |  |  |  |
|    | DK      | "A New Technology for Oxide Contact and Via Etch", by Pete Singer, Semiconductor International, p. 36 (1993).                       |  |  |  |  |
|    | DL      | Handbook on Semiconductors, (ed. C. Holson), Vol. 4, p. 208 (1981).   |  |  |  |  |
|    | DM      | "Etching Applications and Trends of Dry Etching", Ephrath et al., Semiconductor Technology and Computer Systems, Ch. 2, p. 26. /791 |  |  |  |  |
|    | DN      | VLSI Electronics Microstructure Science, Vol. 8, ed. Norman Einspruch, p. 298 (1984).   |  |  |  |  |
|    | DO      | "Plasma Etch Anisotrophy", C.B. Zarowin, J. Electrochem. Soc., Solid-State Science and Technology, p. 1144 (1983).                  |  |  |  |  |
|    | DP      | "A Super Self-Aligned Source/Drain MOSFET," Lau et al., IEDM, p. 358 (1987).  |  |  |  |  |
|    | DQ      | "A Margin-Free Contact Process Using an Al3O3 Etch-Stop Layer for High Density Devices", Fukase et al., IEDM, p. 837 (1992).        |  |  |  |  |
|    | DR      | VLSI Fabrication Principles, Silieon and Callium Arsenide, by Serab K. Ghandi   |  |  |  |  |
| a  | DS      | Research Disclosure No. 282, October 1987, Havant GB page 608, "Spin on Glass Insulator Enhancement".                               |  |  |  |  |
| E> | KAMINER | 5. mg: DATE CONSIDERED 4/28/99  |  |  |  |  |

\*EXAMINER: Initial if reference considered, whether or not citation is in conformance with PEP 609; Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.